



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/830,106	04/23/2004	Shinsuke Tsukagoshi	252190US2SX

CONFIRMATION NO. 7533

22850
 OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.
 1940 DUKE STREET
 ALEXANDRIA, VA 22314

FORMALITIES LETTER



OC000000013113513

Date Mailed: 06/30/2004

NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

FILED UNDER 37 CFR 1.53(b)

*Filing Date Granted***Items Required To Avoid Abandonment:**

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given **TWO MONTHS** from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

- The application was filed in a language other than English. Applicant is required to provide an English translation of the specification and a statement that the translation is accurate. (See 37 CFR 1.52(d)).
- Because your specification was filed in a language other than English, the Office was unable to determine the number of claims submitted. Additional claim fees may be due once the number of claims can be determined.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawing figures contain text that is not in English (including, for example, a flow chart that was originally not in English that has been marked up to include the English text) (see 37 CFR 1.84(p)(2) and 37 CFR 1.52(d)(1)). See Figure(s) ALL.

Replies should be mailed to: Mail Stop Missing Parts
 Commissioner for Patents
 P.O. Box 1450
 Alexandria VA 22313-1450

4-11010-1
4-11010-1

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



ATTN: APPLICATION BRANCH

**THIS IS A RESPONSE TO A
NOTICE TO FILE MISSING
PARTS OF AN APPLICATION**

ATTORNEYS AT LAW

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

Re: Inventor: Shinsuke TSUKAGOSHI
Serial No: 10/830,106
Filed: April 23, 2004
For: X-RAY COMPUTED TOMOGRAPHY APPARATUS AND PICTURE
QUALITY SIMULATION APPARATUS

SIR:

Attached hereto for filing are the following papers:

Notice to File Missing Parts
Letter Submitting Replacement Drawing Sheet(s)/Replacement Sheets (8)
Certified Translation (34 pages)
Filing of Certified English Translation
Certification of English Translation

Our check in the amount of \$0.00 is attached covering any required fees. In the event that any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 CFR 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 CFR 1.136 for the necessary extension of time. A duplicate of this sheet is enclosed.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Eckhard H. Kuesters
Registration No. 28,870
Joseph A. Scafetta, Jr.
Registration No. 26, 803

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/03)



Docket No.: 252190US2SX

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION: Shinsuke TSUKAGOSHI

SERIAL NO.: 10/830,106

GAU:

FILED: April 23, 2004

EXAMINER:

FOR: X-RAY COMPUTED TOMOGRAPHY APPARATUS AND PICTURE QUALITY
SIMULATION APPARATUS

LETTER SUBMITTING REPLACEMENT DRAWING SHEET(S)

COMMISSIONER FOR PATENTS

Alexandria, VA 22313

SIR:

Responsive to the below indicated communication, the following drawing sheets are submitted herewith:

8 Replacement Drawing Sheets _____ New Drawing Sheets

Official Action dated _____

Notice of Allowance/Issue Fee dated _____

Other Notice to File Missing Parts dated June 30, 2004

The changes and/or modifications made include the following:

The replacement drawing sheets are submitted to meet the Patent and Trademark Office requirement.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

A handwritten signature in black ink that reads "Joseph A. Scafetta Jr.".

Eckhard H. Kuesters
Registration No. 28,870
Joseph A. Scafetta, Jr.
Registration No. 26, 803

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 06/04)

Docket No: 252190US2SX

AUG 30 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Shinsuke TSUKAGOSHI

SERIAL NO: 10/830,106

ATTN: BOX MISSING PART

FILED: April 23, 2004

FOR: X-RAY COMPUTED TOMOGRAPHY
APPARATUS AND PICTURE QUALITY
SIMULATION APPARATUS

FILING OF CERTIFIED ENGLISH TRANSLATION UNDER 37 CFR 1.52(d)

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:


Responsive to the Notice to File Missing Parts of Application (Form PTO-1533) dated June 30, 2004, Applicants submit herewith a certified English translation of the application, as filed, in accordance with the provisions of 37 C.F.R. §1.52(d).

The required fee was paid at the time of filing of the application.

In light of the foregoing, this application is deemed to be in proper condition for examination and such favorable action is earnestly solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER &
NEUSTADT, P.C.


Eckhard H. Kuesters
Registration No. 28,870
Joseph A. Scafetta, Jr.
Registration No. 26, 803

Customer Number
22850

Tel. (703) 413-3000
Fax. (703) 413-2220